

GSD




Mũi khoan xoắn phủ TiN cho Inox

Straight Shank Regular Length Twist Drills with TiN Coating



* Khoan thép không gỉ, vật liệu khó gia công như hợp kim titan và inconel.



Units: mm

OD (D)	LOC (l)	OAL (L)	Retail Price (VND)	OD (D)	LOC (l)	OAL (L)	Retail Price (VND)
1	18	40	-	3.5	45	73	-
1.1	20	42	-	3.6	48	76	-
1.2	20	42	-	3.7	48	76	-
1.3	22	45	-	3.8	48	76	-
1.4	23	48	-	3.9	51	79	-
1.5	23	48	-	4	54	83	-
1.6	25	50	-	4.1	54	83	-
1.7	25	50	-	4.2	54	83	-
1.8	28	52	-	4.3	54	83	-
1.9	28	52	-	4.4	56	83	-
2	29	55	-	4.5	56	86	-
2.1	29	55	-	4.6	56	86	-
2.2	33	58	-	4.7	59	89	-
2.3	33	58	-	4.8	59	89	-
2.4	35	61	-	4.9	62	92	-
2.5	35	61	-	5	62	92	-
2.6	37	64	-	5.1	62	92	-
2.7	37	64	-	5.2	64	95	-
2.8	39	67	-	5.3	64	95	-
2.9	42	71	-	5.4	64	95	-
3	42	71	-	5.5	64	95	-
3.1	42	71	-	5.6	67	98	-
3.2	42	71	-	5.7	67	98	-
3.3	45	73	-	5.8	67	98	-
3.4	45	73	-	5.9	67	98	-

Mức Lọc Index
Mũi Taro Taps
Mũi Khoan Drills
Dao Doa Reamers
Dao Phay SUPER Coating
Dao Phay SUPER PRO
Dao Phay HSSCo8
Dao Phay Diamond Coating
Phụ lục Appendix

Mũi khoan xoắn phủ TiN cho Inox

Straight Shank Regular Length Twist Drills with TiN Coating

Mục Lục Index
Mũi Taro Taps
Mũi Khoan Drills
Dao Doa Reamers
Dao Phay SUPER Coating
Dao Phay SUPER PRO
Dao Phay HSSCo8
Dao Phay Diamond Coating
Phụ lục Appendix

OD (D)	LOC (ℓ)	OAL (L)	Retail Price (VND)	OD (D)	LOC (ℓ)	OAL (L)	Retail Price (VND)
6	70	102	—	9.6	95	130	—
6.1	70	102	—	9.7	95	130	—
6.2	70	102	—	9.8	95	130	—
6.3	70	102	—	9.9	95	130	—
6.4	73	105	—	10	95	130	—
6.5	73	105	—	10.1	98	133	—
6.6	73	105	—	10.2	98	133	—
6.7	73	105	—	10.3	98	133	—
6.8	73	105	—	10.4	98	133	—
6.9	73	105	—	10.5	100	137	—
7	73	105	—	10.6	100	137	—
7.1	75	108	—	10.7	100	137	—
7.2	75	108	—	10.8	103	140	—
7.3	75	108	—	10.9	103	140	—
7.4	78	111	—	11	103	140	—
7.5	78	111	—	11.1	103	140	—
7.6	78	111	—	11.2	106	143	—
7.7	81	114	—	11.3	106	143	—
7.8	81	114	—	11.4	106	143	—
7.9	81	114	—	11.5	106	143	—
8	81	114	—	11.6	109	146	—
8.1	84	117	—	11.7	109	146	—
8.2	84	117	—	11.8	109	146	—
8.3	84	117	—	11.9	109	146	—
8.4	87	121	—	12	111	149	—
8.5	87	121	—	12.1	111	149	—
8.6	87	121	—	12.2	111	149	—
8.7	87	121	—	12.3	111	149	—
8.8	89	124	—	12.4	114	152	—
8.9	89	124	—	12.5	114	152	—
9	89	124	—	12.6	114	152	—
9.1	89	124	—	12.7	114	152	—
9.2	92	127	—	12.8	114	152	—
9.3	92	127	—	12.9	114	152	—
9.4	92	127	—	13	114	152	—
9.5	92	127	—				